



Issued: January 30, 2020 Trade: Steamfitter/Pipefitter

To ITA Training Providers

Articulation Chair System Liaison Person

School Districts ITA Training Providers

Subject Transition to Harmonized Program Update

From ITA Program Standards

Effective Date

Immediately

Background

On March 2, 2018 ITA Program Standards issued OPSN 2018 003.1, which detailed the changes to the Steamfitter/Pipefitter Program as a result of the Harmonization Initiative and announced the implementation of a revised Program Outline, effective April 1, 2019. Further to this, on September 20, 2018, ITA issued a Program Update announcing the Transition Plan, summarized in the graphics below:

Implementation Timelines				
Level 1/ Fdn/ Youth	April 1, 2019			
Level 2	April 1, 2020			
Level 3	April 1, 2021			
L AVAL 1	Δnril 1 2022			

Year 0 18/19	CL1	CL2	CL3	CL4
Year 1 19/20	HL1	CL2	CL3	CL4
Year 2 20/21	HL1	HL2 Gap A: 5 days	CL3	CL4
Year 3 21/22	HL1	HL2 Gap A: 5 days	HL3 CL3	CL4
Year 4 22/23	HL1	HL2 Gap A (If needed)	HL3 CL3	HL4 CL4
Year 5 23/24	HL1	HL2	HL3	HL4 CL4
Year 6 24/25	HL1	HL2	HL3	HL4





General Transition Information Please begin offering Harmonized Level 2 (HL2) as scheduled for April 1, 2020.

After April 1, 2020 all intakes of Level 2 should be harmonized.

For information about **how to determine which program to register an apprentice in**, please refer to the Registration Guide for Training Providers, or contact <u>assessmentscoordinator@itabc.ca</u>.

## **Gap A Training at HL2**

- Apprentices with Current Level 1 (CL1) or Current Foundation (FDN) who transition into the harmonized program require gap training in order to receive credit for HL1
- Apprentices with Harmonized Level 1 (HL1) or Harmonized FDN do not need to take gap training
- Gap training is 30 hours; delivery mode and schedule is up to the training provider.
   However, it is important that the gap training is completed before the end of HL2.

For more information contact

**Program Standards** 

programstandards@itabc.ca

cc: ITA Staff